

# Fluke Clamp Meter Rebate Form

**Limited time only.**

**Buy a Fluke Ti125 Industrial-Commercial Thermal Imager between October 23, 2012 and December 31, 2012 and get a Fluke 376 True-rms AC/DC Clamp Meter with iFlex™ FREE.**

**Or**

**Buy a Fluke Ti32 Industrial-Commercial Thermal Imager between October 23, 2012 and December 31, 2012 and get a Fluke 381 Remote Display True-rms AC/DC Clamp Meter with iFlex™ FREE.**

## How to redeem your free Fluke Clamp Meter with purchase:

1. Purchase a Fluke Ti125 or Ti32 between October 23, 2012 and December 31, 2012.
2. Complete each field in the form below.
3. Return your completed form with a copy of your original sales receipt to the distributor location where you purchased your Fluke Ti125 or Fluke Ti32.

## Your contact information

First name

Last name

Occupation

Company name

Shipping address (no PO boxes please)



City

State/Province

Zip/Postal code

Country

Phone

E-mail

Place of purchase

Date of purchase

Product purchased: ☐ Ti125 ☐ Ti32

## Terms and conditions:

Responses received more than 30 days after purchase will be invalid. Allow 4–6 weeks for delivery. Only one free Clamp Meter per sales receipt/per person. Employees and families (spouses, parents, children and their spouses) of Fluke Corporation, its affiliates, subsidiaries, distributors or representatives, its advertising agencies and rebate supplier are not eligible. Offer valid in Australia, New Zealand, Brazil, Mexico, Argentina, Bolivia, El Salvador, Costa Rica, Guatemala, Ecuador, Trinidad, Colombia, Chile, Peru, Venezuela, Nicaragua, Honduras, Paraguay, and Uruguay, and is void where otherwise restricted. Only rebates with original sales invoice(s) or sales receipt(s) will be accepted. Please make a copy of the rebate form and invoice or sales receipt for your file. This offer is not available through Fluke sales staff, Fluke service centers or Fluke corporate offices.

Fluke Corporation reserves the right to substitute another free gift of comparable value if the original gift item is not available.